

AERODROME CHART-ICAO

06° 47' 08" N
101° 09' 13" E

ELEV 8 ft
2 m

TWR 119.3
236.8



PATTANI/Pattani

RWY	DIRECTION	THR	BEARING STRENGTH
08	85°	06° 47' 06" N 101° 08' 50" E	PCN 21/F/C/X/T
26	265°	06° 47' 09" N 101° 09' 36" E	
APRON			PCN 21/R/C/X/T

VAR 0° 0'
CMBD


ANNUAL RATE OF CHANGE 3'E

ELEVATIONS IN FEET AND DIMENSIONS IN METRES
BEARING ARE MAGNETIC




Remark : COORDINATE ARE WGS-84


MARKING AIDS RWY 08/26 AND EXIT TWY



LIGHTING AIDS RWY 08/26 AND EXIT TWY





THIS PAGE INTENTIONALLY LEFT BLANK



INSTRUMENT AERODROME ELEV 8 ft
APPROACH HEIGHTS RELATED TO CHART - ICAO AERODROME ELEV

TWR 119.30 , 236.6
APP 125.55 , 284.0

PATTANI / Pattani NDB RWY 26



MISSED APPROACH: Climb on track 270° to the PT NDB then climb on bearing 270° to 1500 (1492) ft, then turn right to NDB continuing climb to 3500 (3492) ft and hold.

OCA / H	A B C D			
	Straight-in Approach	820(812)	NA	NA
Circling	900(892)	NA	NA	NA